

Nutrition, Memory and Dementia:

How Various Nutrients Can Preserve Memory as You Age

A Research Report

by

Dr. James Meschino, D.C., M.S., N.D.

Clinical Director, RenaiSanté Institute of Integrative Medicine

As we age a number of factors predispose us to a decline in memory capacity and the development of more severe forms of cognitive decline, such as dementia and Alzheimer's disease. One of these factors is the lifetime accumulation of free radical damage to brain cells induced by the brain's high use of oxygen. The same way that oxygen in the air causes apples to rot or metal to rust, oxygen in the body damages our tissues in a similar fashion. The brain uses about 20% of the body's oxygen supply at any given moment to help brain cells metabolize blood sugar into energy, which enables brain cells to keep functioning. But the side effect is a buildup of oxygen free radicals, which can damage brain cells and impair their function over time. Free radical events are a known factor in Alzheimer's disease and other forms of cognitive decline.

Of importance is the fact that some studies show that individuals who supplement with antioxidants (like vitamin C and vitamin E) have a lower incidence of Alzheimer's disease as they age. Thus, it may be wise to ensure that you get 1,000mg of vitamin C and 400IU of vitamin E per day from a high potency multiple vitamin, which should also contain a B-50 complex – as a number of B-vitamins are required to synthesize various brain chemicals (neurotransmitters), which are essential to alertness, concentration and cognition in general.

A second way in which we are predisposed to memory loss as we age is the decline in synthesis of the memory chemical (neurotransmitter) acetylcholine, which really kicks in after age 54. As we age the brain is less able to make this important memory chemical, setting us up for memory loss and many of the manifestations of dementia and Alzheimer's disease. The good news is that there are several natural agents that have been shown in clinical studies to help the aging brain boost its production of acetylcholine, thereby helping to combat this age-related decline in memory

The most important natural agents include:

- CDP-Choline
(cytidine 5-diphosphocholine or
citidinediphosphocholine or citicholine)
- Phosphatidylserine
- Bacopa Monnieri
- Huperzine A

CDP-Choline is a normal component of the skin around brain cells (a phospholipid in the nerve cell membrane), which is important for transmission of nerve impulses from one nerve to the next. It is also vital to the formation of the memory chemical acetylcholine. Unfortunately, the aging brain is less able to synthesize the CDP-Choline it requires, but studies have shown that supplementation with CDP-Choline can re-constitute brain levels of CDP-Choline, boosting levels of several

important brain neurotransmitters and improving nerve conduction ability. These results translate into enhanced mental acuity and improvement in a number of disorders involving memory loss and cognitive decline.

Phosphatidylserine – like CDP-Choline, Phosphatidylserine is a natural component of the nerve cell membrane, and it too, is a victim of age-related decline in synthesis. Studies show that supplementation with phosphatidylserine can also elevate brain levels of acetylcholine, and has been shown to improve memory and cognition in clinical trials with afflicted individuals.

Bacopa Monnieri - the leaf of Bacopa, or water hyssop, has been used in the Indian medical system of Ayurveda since the 6th century A.D. to help improve mental performance. Its active ingredients (bacosides A and B) have been shown to enhance nerve transmission and are potent antioxidants, which have been shown to protect brain cells from free radicals and other toxic substances. Human studies indicate that Bacopa Monnieri can preserve memory function and has been used in the treatment of various conditions involving memory loss.

Huperzine A - this natural substance was initially discovered within a club moss that grows in Asia, which has been used traditionally to aid memory loss problems. Since being isolated, Huperzine A is now synthesized for use in natural health products and has shown a remarkable ability to support brain levels of acetylcholine (the memory chemical). It does so by partially inhibiting the enzyme that breaks down acetylcholine (acetylcholinesterase), which results in higher acetylcholine brain levels. Its positive effects on memory and brain function have been shown in a number of human clinical trials.

After Age 54 It's Time To Ingest A Daily Memory Support Supplement

Due to the fact that the aging process is associated with decreased synthesis of the memory chemical acetylcholine, as well as important phospholipids (CDP-Choline, Phosphatidylserine), which are required for optimal nerve impulse transmission, I suggest that you begin ingesting a supplement at age 55 that can help combat memory loss and other related problems. Key ingredients in a memory support supplement include CDP-Choline, Phosphatidylserine, Bacopa Monnieri and Huperzine A. All of these have been shown to be safe, effective natural ingredients, when taken at appropriate dosages, and unlike Ginkgo Biloba and Vinpocetine, do not increase risk for bleeding disorders. The only caveat is that these supplements cannot be used in conjunction with drugs commonly used to treat Alzheimer's disease.

REFERENCES

- Agnoli A, et al. New strategies in the management of Parkinson's disease: A biological approach using a phospholipid precursor (CDP-Choline) *Neuropsychobiology* 1982;8(6):289-96
- Canty DJ, et al. Lecithin and choline in human health and disease. *Nutr Reviews* 1994;52:327-339
- Citicoline, Alzheimer's disease, and cognitive performance. *Life Extension* 2000;6(9):69,2(Alt Health Watch data base)
- Encyclopedia of Nutritional Supplements. Prima Publishing 1996;Murray M:137-141
- Foiravanti M, Yanagi M. Cytidinediphosphocholine (CDP-Choline) for cognitive and behavioral disturbances associated with chronic cerebral disorders in the elderly. *Cochrane Syst Revi* 2002;(2):000269 In: The Cochrane Library, 1,2002. Oxford: Update Software
- Present Knowledge in Nutrition (5th edition). The Nutrition Foundation, Inc 1984;Choline:383-399
- Secades JJ, et al. CDP-Choline: pharmacological and clinical review. *Methods Find Exp Clin Pharmacol* 1995;17(Suppl B):1-54
- Zeisel SH, et al. Choline, an essential nutrient for humans. *FASEB J* 1991;5:20093-2098
- Cenacchi T, Bertoldin T, Farina C, et al. Cognitive decline in the elderly: A double-blind, placebo-controlled multicenter study on efficacy of phosphatidylserine administration. *Aging* 1993;5:123-33
- Crook T, Petrie W, Wells C, Massari DC. Effects of phosphatidylserine in Alzheimer's disease. *Psychopharmacol Bull* 1992;28:61-6
- Crook TH, Tinklenberg J, Yesavage J, Petrie W, Nunzi MG, Massari DC. Effect of phosphatidylserine in age-associated memory impairment. *Neurology* 1991;41:644-9
- Engel RR, Satzger W, Gunther W, Kathmann N, Bove D, Gerke S, et al. Double-blind cross-over study of phosphatidylserine vs. placebo in subjects with early cognitive deterioration of the Alzheimer type. *Eur. Neuropsychopharmacol*, 1992;2:149-55
- Funfgeld EW, Baggen M, Nedwidek P, Richstein B, Mistlberger G. Double-blind study with phosphatidylserine (PS) in parkinsonian patients with senile dementia of Alzheimer's type (SKAT). *Prog Clin Biol Res* 1989;317:1235-46
- Maggioni M, Picotti GB, Bondiolotti GP, Panerai A, Cenacchi T, Nobil P, et al. Effects of phosphatidylserine therapy in geriatric patients with depressive disorders. *Acta Psychiatr Scand* 1990;81:265-70
- Nunzi MG, Milan F, Guidolin D, et al. Effects of phosphatidylserine administration on age-related structural changes in the rat hippocampus and septal complex. *Pharmacopsychiat* 1989;22:125-8
- Valzelli L, Kozak W, Zanotti A, Toffano G. Activity of phosphatidylserine on memory retrieval and on exploration in mice. *Meth Find Extl Clin Pharmacol* 1987;9:657-60
- Vannucchi MG, Casamenti F, Pepeu G. Decrease of acetylcholine release from cortical slices in aged rats: Investigations into its reversal by phosphatidylserine. *J Neurochem* 1990;55:819-25
- Dar A, Channa S. Calcium antagonistic activity of Bacopa monniera on vascular intestinal smooth muscles of rabbit and guinea-pig. *J Ethnopharmacol* 1999;66(2):167-74
- Dietary Supplement Information Bureau. www.content.intramedicine.com: Bacopa monnieri
- Kidd PM. A review of nutrients and botanicals in the integrative management of cognitive dysfunction. *Altern Med Rev* 1999 Jun;4(3):144-61
- Mukherjee GD et al. Clinical trial on brahmi. I. *J Exp Med Sci* 1966;10(1):5-11
- Stough C, Lloyd J, Clarke J, Downey LA, Hutchison CW, Rodgers T, et al. The chronic effects of an extract of Bacopa monniera (Brahmi) on cognitive function in healthy human subjects. *Psychopharmacology (Berl)* 2001 Aug;156(4):481-4
- Tripathi YB, et al. Bacopa monniera linn. As an antioxidant: Mechanism of action. *Indian J Exp Biol* 1996 Jun;34(6):523-6
- Vohora D, Pal SN, Pillai KK. Protection from phenytoin-induced cognitive deficit by Bacopa monniera, a reputed Indian nootropic plant. *J Ethnopharmacol* 2000 Aug;71(3):383-90
- Ashani Y, Peggins JO, Doctor BP. Mechanism of inhibition of cholinesterases by huperzine A. *Biochem Biophys Res Commun*, 1992:184:719-26
- Bai DL, et al. Huperzine A, a potential therapeutic agent for treatment of Alzheimer's disease. *Curr Med Chem*, 2000 Mar;7(3):355-74
- Cheng DH, Ren H, Tang XC. Huperzine A, a novel promising acetylcholinesterase inhibitor. *Neuroreport* 1996;8:97-101
- Cheng DH, Tang XC. Comparative studies of huperzine A, E2020, and tacrine on behavior and cholinesterase activities. *Pharmacol Biochem Behav* 1998;60:377-86
- Dworkin N. Restoring memory. *Psychology Today* 2000 Jul/Aug;32(4):p28
- McCaleb R. Huperzia looks promising for improving memory. *HerbalGram*, 10/31/1995;35:p14
- Pirisi, Angela. Plant wisdom: Memory moss. *Yoga Journal*, 08/31/1999;147:p95
- Sun QQ, Xu SS, Pan JL, et al. Huperzine-A capsules enhance memory and learning performance in 34 pairs of matched adolescent students. *Acta Pharmacol Sin* 1999;20:601-3
- Tang XC. Huperzine A (shuangyiping): A promising drug for Alzheimer's disease. *Chung Kuo Yao Li Hsueh Pao*, 1996 Nov;17(6):481-4
- Wang Z, Ren G, Zhao Y et al. A double-blind study of huperzine A and piracetam in patients with age-associated memory impairment and dementia. In: Kanba S, Richelson E (eds.) *Herbal Medicines for Nonpsychiatric Diseases*. Tokyo: Seiwa Choten Publishers 1999:39-50
- Xu SS, Gao, ZX, Weng Z et al. Efficacy of tablet huperzine-A on memory, cognition, and behavior in Alzheimer's disease. *Chung Kuo Yao Li Hsueh Pao* 1995;16:391-5

For additional information on this and other health topics, please visit: www.adeeva.com

This article is not intended to promote a particular manufacturer or brand of dietary supplement.

Adëeva Nutritionals is pleased to present this material as part of its continuing education series.

